

D-SERIES **DeoxIT®**

Bring Old Systems Back to Life!™



FS 9-1-1

Info

FIELD SERVICE 9 - 1 - 1

Detailed DeoxIT® product information, directions and recommendations for legendary equipment performance & reliability.

DeoxIT® D-Series, DeoxIT® Gold G-Series, DeoxIT® Shield S-Series and DeoxIT® Grease Products.

MAINTENANCE:

	Pages
1. Applicator Notes - Which applicator do I use?	2
2. Connectors/connections	2-3
3. Relays/contactors (low, medium & high voltage/amperage)	3-6
4. Disconnects	6
5. Indoor vs Outdoor Use	7
6. Severe Environments	7-8
7. Special Circumstances	8

PRODUCT FACT SHEETS

8. Difference between 5% and 100% products	8
9. When do I use flammable vs. nonflammable applicators?	9
10. Additional application information	9
11. DeoxIT® Greases - Electrical & Mechanical uses & procedures	10-12
12. Notes and additional information	12
13. CAIG Information Pages	13
14. Manufacturer Disclaimer	13
15. 1000+ Uses for DeoxIT®	14

THINGS TO REMEMBER:

Wouldn't it be great if you could not only rely on all your electrical connections, but they would be your strongest link? DeoxIT® is a unique connection treatment that rejuvenates electrical connections and actually improves their performance.

There are literally thousands of connections in electronic devices and equipment these days. From internal connec-

tions, to the interconnecting cables from one piece of equipment to another, and over a short period of time, oxidation, corrosion, pollution, humidity and other contaminants attack the metal surfaces of these connectors. This gradually decreases performance causing intermittents (data errors), reduced performance (dull lights, power reduction, potential communication and security problems) or complete failure.

This also causes increased unnecessary service calls for covered warranty repairs that could have been prevented, translating into millions of dollars of lost revenue for service organizations. The smaller the signal transmitted through the connection, the more susceptible that connection is to failure. DeoxIT® products chemically dissolve these contaminants, without harm to the metal surfaces. The products also enhance the flow of electricity on metal and leave a long-lasting protective barrier. The result is clearer and more accurate audio, video, and data signals with improved equipment performance and reliability.

The DeoxIT® Products, 1-2-3:

- 1 - Apply DeoxIT® D-Series, contact cleaner** to clean/rejuvenate metal surfaces,
- 2 - Apply DeoxIT® Gold G-Series**, for maximum performance & protection - indoor applications,
- 3 - Apply DeoxIT® Shield S-Series**, for maximum protection - outdoor or severe environments.
- 4 - Apply DeoxIT® Fader F-Series**, for conductive plastics and carbon-based controls, only.
- 5 - Apply DeoxIT® Grease**, heavy duty, extreme environment electrical and mechanical applications.



Home of the DeoxIT® family of
Environmentally-Safer Contact Cleaners and
Connector Enhancing Treatments
Made in USA



Audio/Video



Computers



Automotive



Communications



Marine



Electrical



Energy



Photography



Security



Medical



Avionics

NOTE: If the part is used or is in service, assume it's oxidized.

There are virtually unlimited uses for DeoxIT® products. We have included general information for using the products and the applicators best suited to applications after the products are manufactured. We have also included general information about the use of our products within the manufacturing process.

For unique and special circumstances, please contact CAIG Technical Support, tech@caig.com to determine the best product, applicator and procedure.

1. Applicator Notes:

Which Applicators should I use?

SPRAYS:

1. Use when the part is hard to reach (inside a potentiometer) or easy to reach and overspray is not a concern (wire with connector at end - RCA, XLR, etc.). You can always spray DeoxIT® onto a lint-free swab or cloth and then apply to connection.

WHICH SPRAY DO I USE:

Select #9 and #10 at: <http://caig.com/help-learn/>

2. Two types of sprays are available, "flushing action" (flammable - slow evaporating solvent) and "quick dry" (non-flammable - fast dry solvent). Use the flushing action sprays when there is other surface contamination on the connections (dust, dirt, grease) and plastic compatibility is critical. Use the "quick dry" sprays when non-flammability is important and no dripping is required.
 - a) **Flushing action** Part Nos.: D5S-6, G5S-6, S5S-6, F5S-H6
 - b) **Quick Dry** Part Nos.: DN5S-6N, DN5S-2N, GN5S-6N, GN5S-2N, SN5S-6N, SN5S-2N, FN5S-2N.

LIQUIDS:

1. Use DeoxIT® liquids (100% and 5%) when precise application of products are to be used.
2. Use the 5% liquids when wiping off excess is NOT an option.
3. Pick the best applicator for your application. Brush

applicators are good for most audio/video connections. Pens are recommended for connectors that require a bit of scrubbing or open contacts. Wipes are recommended for edge connectors and audio/video connections. Needle applicators are recommended for accessing hard to reach areas.

4. Reminder: when using 100% solutions, wipe off excess after applying final coating.
5. Applicators will be recommended at the end of each section. Others can be viewed and selected at www.caig.com

2. General Maintenance:

(Metal electrical connectors & connections)

2a. Metal surfaces:

1. Turn off, unplug! the device.
2. Apply DeoxIT® D-Series contact cleaner to contact/connector surface. If surface contains particles (dust, dirt, etc.) along with oxidation, use DeoxIT® spray with flushing solvent (#D5S-6). If the surface is free from most particles, use DeoxIT® without a flushing solvent (#DN5S-2N and DN5S-6N) or small amount of DeoxIT® liquid (wipe off excess).
3. In extreme cases, connectors with severe oxidation, you may need to leave DeoxIT® D-Series on overnight. If that is necessary, remove any contaminants lifted by DeoxIT® the following day, with lint free swab, cloth on accessible surfaces. When surface is clean (no residue on the cloth), finish with a couple short bursts of DeoxIT® D-Series spray or small amount of DeoxIT® liquid (wipe off excess).
4. **For extended protection:** After surface is clean, WITH THE EXCEPTION OF potentiometers, apply DeoxIT® Gold G-Series for indoor applications or DeoxIT® Shield S-Series for outdoor and severe environment applications.

Moving Switches (i.e., potentiometers):

1. Turn off, unplug! the device.
2. Apply DeoxIT® D-Series contact cleaner (#D100S-2 or #D100L-25C) to contact/connector surface.



CAIG Laboratories, Inc.

12200 Thatcher Court, Poway, CA 92064 U.S.A.

P: 858/486-8388 | **E:** info@caig.com

WEB: www.caig.com | www.deoxit.com





Audio/Video



Computers



Automotive



Communications



Marine



Electrical



Energy



Photography



Security



Medical



Avionics

3. Manually operate device, to help displace contaminants from contact surface, and distribute lubrication.
4. Repeat Steps 2 and 3, if necessary.
5. In extreme cases, you may need to leave DeoxIT® D-Series on overnight. If that happens, the following day, remove any contaminants lifted by DeoxIT® and finish with a couple short bursts of DeoxIT®.

2b. Plated metal surfaces and gold surfaces - used or in service (i.e. gold or other precious metal):

1. Follow the "Metal surfaces" procedure noted above. Finish with DeoxIT® Gold G-Series to protect surfaces. Maintain thereafter with DeoxIT® Gold.
2. If connector surfaces have particles (dust, dirt, etc.) along with oxidation, use DeoxIT® Gold spray with flushing solvent (#G5S-6). If the surface is free from most surface particles, use DeoxIT® GOLD spray without flushing solvent (#GN5S-2N and GN5S-6N).

1c. Plated metal and gold surfaces - new or with no visible oxidation on the surface:

Apply DeoxIT® Gold G-Series to the contact/connector surface. When using 100% solution, wipe off any excess. Maintain thereafter with DeoxIT® Gold.

NOTE:

After applying DeoxIT® D-Series and DeoxIT® Gold G-Series, you may notice either immediately or over the next several days, a green or black discoloration on connector surface. This represents dissolved oxides. Repeat cleaning process above, then apply DeoxIT® Gold G-Series OR DeoxIT® Shield S-Series, as necessary.

Recommended Applicators:

Spray Part No.'s:

(Nonflammable, non drip - quick dry, safe on plastics)

DeoxIT® D-Series:

Part No. DN5S-2N (40 g), Part No. DN5S-6N (163 g)

DeoxIT® Gold G-Series:

Part No. GN5S-2N (40 g), Part No. GN5S-6N (163 g).

(Briefly flammable, until solvent evaporates, flushing action - slow dry.)

DeoxIT® D-Series: Part No. D5S-6, 142 g.

DeoxIT® Gold G-Series: Part No. G5S-6, 142 g.

Non-spray applicators (100% liquid):

DeoxIT® D-Series, precision needle, 25 ml.

Part No. D100L-25C

DeoxIT® Gold G-Series, precision needle, 25 ml.

Part No. G100L-25C

DeoxIT® D-Series, brush bottle, 7.4 ml.

Part No. D100L-2DB

DeoxIT® Gold G-Series, brush bottle, 7.4 ml.

Part No. G100L-2DB

Other applicators available, visit; <http://www.caig.com>

Lint free Accessories:

Lint free cotton cloth

Part Nos. LFC-C/50, LFC-C/100

Lint free foam swabs, 1/4 x 3/4 x 4-1/2"

Part Nos. SWP-12, SWP-50, SWP-100

Lint free foam swabs, 1/8 x 1/2 x 2-3/4"

Part Nos. SWPX-12, SWPX-50, SWPX-100

Pointer swabs, 3 inch, .5 mm to 2.3 mm Head

Part Nos. SWPP-12, SWPP-50, SWPP-100

Nylon cleaning brush, 3-6 mm x 20 mm

Part Nos. AB-12, AB-50, AB-100

3. Relays and contactors

(Low, medium & high voltage/amperage)

3a. Low voltage/amperage relays:

1. Turn off, unplug¹ device.
2. Apply DeoxIT® contact cleaner to metal contact/connector surface. If connector surfaces contain particles (dust, dirt, etc.) along with oxidation, use DeoxIT® spray with flushing solvent (#D5S-6). If the surface is free from most surface particles, use DeoxIT® spray without a flushing solvent (#DN5S-2N), or small amount of DeoxIT® liquid (wipe off excess).
3. Operate the relay to help displace contaminants from contact surface.



CAIG Laboratories, Inc.

12200 Thatcher Court, Poway, CA 92064 U.S.A.

P: 858/486-8388 | E: info@caig.com

WEB: www.caig.com | www.deoxit.com





Audio/Video



Computers



Automotive



Communications



Marine



Electrical



Energy



Photography



Security



Medical



Avionics

- Repeat Step 2.
- In extreme cases, you may need to leave DeoxIT® on overnight. If that happens, remove any contaminants lifted by DeoxIT® the following day, with lint free swab, cloth on accessible surfaces. When surface is clean (no residue on the cloth), apply a couple short bursts of DeoxIT®, or small amount of DeoxIT® liquid (wipe off excess).
- After surface is clean, apply DeoxIT® GOLD for indoor applications or DeoxIT® Shield for outdoor applications.

Recommended Applicators:

Spray Part No.'s:

(Nonflammable, non drip - quick dry, safe on plastics)

DeoxIT® D-Series:

Part No. DN5S-2N (40 g), Part No. DN5S-6N (163 g)

DeoxIT® Gold G-Series:

Part No. GN5S-2N (14 g), Part No. GN5S-6N (163 g).

DeoxIT® Shield S-Series:

Part No. SN5S-2N (14 g), Part No. SN5S-6N (163 g).

(Briefly flammable, until solvent evaporates, flushing action - slow dry.)

DeoxIT® D-Series: Part No. D5S-6, 142 g.

DeoxIT® Gold G-Series: Part No. G5S-6, 142 g.

DeoxIT® Shield S-Series: Part No. S5S-6, 142 g.

Non-spray Applicators (100% liquid):

DeoxIT® D-Series, precision needle, 25 ml
Part No. D100L-25C

DeoxIT® Gold G-Series, precision needle, 25 ml
Part No. G100L-25C

DeoxIT® Shield S-Series, precision needle, 25 ml
Part No. S100L-25C

DeoxIT® D-Series, pen, 6.0 ml Part No. D100P

DeoxIT® Gold G-Series, pen, 6.0 Part No. G100P

DeoxIT® Shield S-Series, pen, 6.0 Part No. S100P

Other applicators available, visit; <http://www.caig.com>

Lint free Accessories:

Lint free cotton cloth

Part Nos. LFC-C/50, LFC-C/100

Lint free foam swabs, 1/4 x 3/4 x 4-1/2"

Part Nos. SWP-25, SWP-100

Lint free foam swabs, 1/8 x 1/2 x 2-3/4"

Part Nos. SWPX-25, SWPX-100

Pointer swabs, 3 inch, .5 mm to 2.3 mm Head

Part Nos. SWPP-25, SWPP-100

Nylon cleaning brush, 3-6 mm x 20 mm

Part Nos. AB-25, AB-100

3b. Medium voltage/amperage relays/contactors:

- Turn off, unplug¹ device.
- Apply DeoxIT® D-Series contact cleaner to metal contact/connector surface. If connector surfaces contain particles (dust, dirt, etc.) alongwith oxidation, use DeoxIT® spray with flushing solvent (#D5S-6). If the surface is free from most surface particles, use DeoxIT® spray without a flushing solvent (#DN5S-2N, DN5S-6N), or small amount of DeoxIT® liquid (wipe off excess).
- Operate the relay to help displace contaminants from contact surface.
- Repeat Step 2.

Recommended Applicators:

Spray Part No.'s:

(Nonflammable, non drip - quick dry, safe on plastics)

DeoxIT® D-Series:

Part No. DN5S-2N (40 g), Part No. DN5S-6N (163 g)

DeoxIT® Gold G-Series:

Part No. GN5S-2N (14 g), Part No. GN5S-6N (163 g).

DeoxIT® Shield S-Series:

Part No. SN5S-2N (14 g), Part No. SN5S-6N (163 g).

(Briefly flammable, until solvent evaporates, flushing action - slow dry.)

DeoxIT® D-Series: Part No. D5S-6, 142 g.

DeoxIT® Gold G-Series: Part No. G5S-6, 142 g.

DeoxIT® Shield S-Series: Part No. S5S-6, 142 g.



CAIG Laboratories, Inc.

12200 Thatcher Court, Poway, CA 92064 U.S.A.

P: 858/486-8388 | E: info@caig.com

WEB: www.caig.com | www.deoxit.com





Audio/Video



Computers



Automotive



Communications



Marine



Electrical



Energy



Photography



Security



Medical



Avionics

Non-spray Applicators (100% liquid):

DeoxIT® D-Series, precision needle, 25 ml

Part No. D100L-25C

DeoxIT® Gold G-Series, precision needle, 25 ml

Part No. G100L-25C

DeoxIT® Shield S-Series, precision needle, 25 ml

Part No. S100L-25C

DeoxIT® D-Series, pen, 6.0 ml

Part No. D100P

DeoxIT® Gold G-Series, pen, 6.0

Part No. G100P

DeoxIT® Shield S-Series, pen, 6.0

Part No. S100P

DeoxIT® D-Series, wipes

Part No. D50W

DeoxIT® Gold G-Series, wipes

Part No. G50W

DeoxIT® Shield S-Series, wipes

Part No. S50W

Other applicators available, visit; <http://www.caig.com>

Lint free Accessories:

Lint free cotton cloth

Part Nos. LFC-C/50, LFC-C/100

Lint free foam swabs, 1/4 x 3/4 x 4-1/2"

Part Nos. SWP-25, SWP-100

Lint free foam swabs, 1/8 x 1/2 x 2-3/4"

Part Nos. SWPX-25, SWPX-100

Pointer swabs, 3 inch, .5 mm to 2.3 mm Head

Part Nos. SWPP-25, SWPP-100

Nylon cleaning brush, 3-6 mm x 20 mm

Part Nos. AB-25, AB-100

3c. High voltage/amperage relays/contactors - normally oxidized/corroded:

1. Turn off, unplug¹ the device.
2. Apply DeoxIT® D-Series contact cleaner to contact/connector surface. If surface contains particles (dust,dirt, etc.) along with oxidation, use DeoxIT® spray with flushing solvent (#D5S-6). If the surface is free from most particles, use DeoxIT® without a flushing solvent (#DN5S-2N, DN5S-6N), or small amount of DeoxIT® liquid (wipe off excess).
3. Operate relay to help displace contaminants from contact surface.
4. Repeat Step 2.
5. If surface is severely oxidized, leave DeoxIT® D-Series

contact cleaner on the surface overnight, the following day, remove contaminants lifted by DeoxIT® with lint free applicator. Apply two short burst of DeoxIT®.

6. When surface is clean (no residue on the cloth), finish with a couple short bursts of DeoxIT® Shield S-Series (#S5S-6, SN5S-2N, SN5S-6N or 100% liquid).

Recommended Applicators:

Same as 2b.

3d. High voltage/amperage relays/contactors - severely oxidized/corroded:

1. Turn off, unplug¹ the device.
2. Apply DeoxIT® D-Series contact cleaner to metal contact/connector surface. If connectors contain surface particles (dust, dirt, etc.) along with oxidation, use DeoxIT® spray with flushing solvent (#D5S-6). If the surface is free from most surface particles, use DeoxIT® without a flushing solvent (#DN5S-2N, DN5S-6N), or small amount of DeoxIT® liquid (wipe off excess).
3. Operate the relay/contactator to help displace contaminants from contact surface.
4. Use a non-abrasive nylon brush to assist in removing the loose contamination on the surface. Never use an abrasive brush or other harsh abrasive materials (i.e., sandpaper, metal brush, etc.), this will change the design characteristics of the relay/contactator/switch.
5. If the surface is still oxidized, apply DeoxIT® Grease L260DCp or L260DQp to the contact surface.

Link for Info: <http://caig.com/deoxit-grease-landing/>

NOTE:

The L260DCp contains copper particles and the L260DQp contains quartz particles, which assist with breaking up the oxidation or corrosion. Use the copper if you need conductive particles and the quartz if conductive particles are not required.

Recommended Applicators:

Spray Part No.'s:

(Nonflammable, non drip - quick dry, safe on plastics)



CAIG Laboratories, Inc.

12200 Thatcher Court, Poway, CA 92064 U.S.A.

P: 858/486-8388 | E: info@caig.com

WEB: www.caig.com | www.deoxit.com





Audio/Video



Computers



Automotive



Communications



Marine



Electrical



Energy



Photography



Security



Medical



Avionics

DeoxIT® D-Series:

Part No. DN5S-2N (40 g), Part No. DN5S-6N (163 g)

(Briefly flammable, until solvent evaporates, flushing action - slow dry.)

DeoxIT® D-Series: Part No. D5S-6, 142 g.

Grease Jar Applicators:

DeoxIT® Grease, no particles, tube	# L260-DN1, 28 g
DeoxIT® Grease, no particles, tube	# L260-DN8, 226 g
DeoxIT® Grease, no particles, tube	# L260-DN8TP, 226 g
DeoxIT® Grease, copper particles, tube	# L260-DC1, 28 g
DeoxIT® Grease, copper particles, tube	# L260-DC8, 226 g
DeoxIT® Grease, copper particles, tube	# L260-DC8TP, 226 g
DeoxIT® Grease, quartz particles, tube	# L260-DQ1, 28 g
DeoxIT® Grease, quartz particles, tube	# L260-DQ8, 226 g
DeoxIT® Grease, quartz particles, tube	# L260-DQ8TP, 226 g

4. Maintenance - Disconnects

1. Turn off the device.
2. Apply DeoxIT® contact cleaner to metal contact/connector surface. If connectors contain surface particles (dust, dirt, etc.) along with oxidation, use DeoxIT® spray with flushing solvent (#D5S-6). If the surface is free from most surface particles, use DeoxIT® without a flushing solvent (#DN5S-2N, DN5S-6N), or small amount of DeoxIT® liquid (wipe off excess).
3. Operate the disconnect to help displace contaminants from contact surface.
4. Use a non-abrasive nylon brush to assist in removing the loose contamination on the surface. Never use an abrasive brush or other harsh abrasive materials (i.e., sandpaper, metal brush, etc.), because this may change the design characteristics of the relay/contact/switch.
5. Apply DeoxIT® Grease L260DCp, L260DAp or L260DQp onto the contact surface.

NOTE:

The L260DCp contains copper particles, the L260DAp contains aluminum particles and L260DQp contains quartz particles. Use the particles to assist breaking up the oxida-

tion or corrosion. Use the copper or aluminum if you need conductive particles and the quartz if conductive particles are not required.

Recommended Applicators:

Spray Part No.'s:

(Nonflammable, non drip - quick dry, safe on plastics)

DeoxIT® D-Series:

Part No. DN5S-2N (40 g), Part No. DN5S-6N (163 g)

(Briefly flammable, until solvent evaporates, flushing action - slow dry.)

DeoxIT® D-Series: Part No. D5S-6, 142 g.

Grease Jar Applicators:

DeoxIT® Grease, no particles, tube	# L260-DN1, 28 g
DeoxIT® Grease, no particles, tube	# L260-DN8, 226 g
DeoxIT® Grease, no particles, tube	# L260-DN8TP, 226 g
DeoxIT® Grease, aluminum particles, tube	# L260-DA1, 28 g
DeoxIT® Grease, aluminum part., tube	# L260-DA8, 226 g
DeoxIT® Grease, aluminum part., tube	# L260-DA8TP, 226 g
DeoxIT® Grease, copper particles, tube	# L260-DC1, 28 g
DeoxIT® Grease, copper particles, tube	# L260-DC8, 226 g
DeoxIT® Grease, copper particles, tube	# L260-DC8TP, 226 g
DeoxIT® Grease, quartz particles, tube	# L260-DQ1, 28 g
DeoxIT® Grease, quartz particles, tube	# L260-DQ8, 226 g
DeoxIT® Grease, quartz particles, tube	# L260-DQ8TP, 226 g

Other applicators available, visit: <http://www.caig.com>

Lint free Accessories:

Lint free cotton cloth	Part Nos. LFC-C/50, LFC-C/100
Lint free foam swabs, 1/4 x 3/4 x 4-1/2"	Part Nos. SWP-25, SWP-100
Lint free foam swabs, 1/8 x 1/2 x 2-3/4"	Part Nos. SWPX-25, SWPX-100
Pointer swabs, 3 inch, .5 mm to 2.3 mm Head	Part Nos. SWPP-25, SWPP-100
Nylon cleaning brush, 3-6 mm x 20 mm	Part Nos. AB-25, AB-100



CAIG Laboratories, Inc.

12200 Thatcher Court, Poway, CA 92064 U.S.A.

P: 858/486-8388 | E: info@caig.com

WEB: www.caig.com | www.deoxit.com





Audio/Video



Computers



Automotive



Communications



Marine



Electrical



Energy



Photography



Security



Medical



Avionics

5. Maintenance - Indoor vs Outdoor Use

Following the DeoxIT® 1-2-3 instructions, will solve 99% of your application problems with the addition of using the DeoxIT® Greases (refer to sections 2 and 10) for certain outdoor uses. For other applications, contact CAIG Technical Support, tech@caig.com.

PRODUCT NOTE: If the part is used or in service, assume it's oxidized. Always, first use DeoxIT® D-Series. Outdoor connections and ones exposed to sever enviroments require additional protection.

Metal surfaces:

1. Apply DeoxIT® D-Series contact cleaner to metal contact/connector surface. When connectors contain surface particles (dust, dirt, etc.) along with oxidation, use DeoxIT® spray with flushing solvents (#D5S-6). When the surface is free from most surface particles, use DeoxIT® without a flushing solvent (#DN5S-6N, #DN5S-2N), or small amount of DeoxIT® liquid (wipe off excess).
2. Operate device to help displace contaminants from contact surface.
3. Repeat Step "1".
4. If surface is heavily oxidized, leaving DeoxIT® D-Series contact cleaner on overnight is recommended.
5. The next day remove the contaminants lifted by DeoxIT® with lint free swab or cloth on accessible surfaces or repeat Step 1 to displace contaminants from contact surface. Process may need to repeated if surface is heavily oxidized. When surface is clean, no residue on the cloth, finish with a couple short bursts of DeoxIT® Shield S-Series.
6. For extended protection: After surface is clean, applying DeoxIT® Shield S-Series will provide long lasting protection on the metal surfaces.

Metal surfaces subject to severe weathering (i.e. wind, rain, etc.):

7. Under exposure to the elements a physical barrier may also be required to protect the metal connections.
8. After the surfaces have been treated with DeoxIT® Shield S-Series, an application of a grease maybe required.

Select one of the DeoxIT® Grease if a longer lasting treatment is required.

Link for Info: <http://caig.com/deoxit-grease-landing/>

Recommended Applicators:

Spray Part No's:

(Nonflammable, non drip - quick dry, safe on plastics)

DeoxIT® D-Series:

Part No. DN5S-2N (40 g), Part No. DN5S-6N (163 g)

DeoxIT® Shield S-Series:

Part No. SN5S-2N (14 g), Part No. SN5S-6N (163 g).

(Briefly flammable, until solvent evaporates, flushing action - slow dry.)

DeoxIT® D-Series:

Part No. D5S-6, 142 g.

DeoxIT® Shield S-Series:

Part No. S5S-6, 142 g.

Non spray applicators

DeoxIT® D-Series, precision needle, 25 ml.

Part No. D100L-25C

DeoxIT® Shield S-Series, precision needle, 25 ml.

Part No. S100L-25C

DeoxIT® D-Series, brush bottle, 7.4 ml.

Part No. D100L-2DB

DeoxIT® Shield S-Series, brush bottle, 7.4 ml.

Part No. S100L-2DB

Other applicators available, visit; <http://www.caig.com>

6. Maintenance - Severe Environments

There are two circumstance discussed in this section, temperature variations and environmental contaminants. There are many other possible circumstances, but we are unable to cover all of them here, so this section will provide general guidance and information.

6a) Temperature:

As a general rule, the closer the operating temperature gets to the maximum operating temperature of the coating, the shorter the life for the protection and performance. If your part will be operating close to that temperature, we recom-



CAIG Laboratories, Inc.

12200 Thatcher Court, Poway, CA 92064 U.S.A.

P: 858/486-8388 | E: info@caig.com

WEB: www.caig.com | www.deoxit.com





Audio/Video



Computers



Automotive



Communications



Marine



Electrical



Energy



Photography



Security



Medical



Avionics

mend doing life-cycle testing. Eventually, the DeoxIT® coating will evaporate/vaporize. The same rule applies to maximum low temperatures, and the coating will also get thicker. If the device is moving (relays, for example), the maximum operating temperature may be greater. Therefore, testing should be done when operating close to the maximum low temperatures.

DeoxIT® D-Series, D100L:

-34° C (-29° F) to +200° C (400° F)

DeoxIT® Gold G-Series, G100L:

-45° C (-49° F) to +240° C (464° F)

DeoxIT® Gold GxL, GX100L:

-45° C (-49° F) to +310° C (590° F)

DeoxIT® Gold Gx2, GX2:

-45° C (-49° F) to +500° C (932° F)

DeoxIT® Shield S-Series, S100L:

-34° C (-29° F) to +210° C (410° F)

DeoxIT® L260D Grease: -40° C (-40° F) to +260° C (500° F)

DeoxIT® L260 Grease: -40° C (-40° F) to +260° C (500° F)

DeoxIT® M260 Grease: -40° C (-40° F) to +260° C (500° F)

6b) Contaminants:

Even brief periods of exposure to pollution, humidity, salts and other contaminants causes oxidation and corrosion on connectors, compromising their performance and reliability. The severity of the atmosphere will dictate the procedure for using DeoxIT® products. Following the DeoxIT® 1-2-3, with the addition of using the DeoxIT® Greases, will cover most applications.

7. Maintenance - Special Circumstances

For unique and special circumstances, please contact CAIG Technical Support, tech@caig.com to determine the best product, applicator and procedure.

8. The Difference Between the 5% and 100% Products

The following excerpt from the Tech Info Questions and Answers sheet addresses the differences quite well:

"Use the 5% spray or liquid to apply a thin coating of our products. Remember only a small amount is required on the surface for maximum performance. The 5% solutions will ensure that only small amounts remain on the surface. The solvent will also assist in flushing away loose dust, dirt, grease and other contamination."

To summarize:

1. The 5% solution has a carrier solvent, but after the solvent evaporates, what remains is 100% product.
2. The original 5% formula provides flushing action, but the 100% does not.
3. Two 5% spray versions and one 100% spray version are available.
 - a) 5% original, flammable spray has: Flushing action, slow drying, flammable until solvent evaporates. Evaporation rate depends on ambient temperature, approx. 5 to 60 minutes for complete evaporation. 100% solution remains on surface.
Example: Part No.'s D5S-6, G5S-6 and F5S-H6
 - b) 5% nonflammable spray has: No flushing action, quick drying, non-flammable. Solvent evaporates almost immediately. 100% solution remains on surface.
Example: Part No.'s DN5S-2N, DN5S-6N, GN5S-2N, and GN5S-6N
 - c) 100% nonflammable spray has: No flushing action, provides 100% application of concentrate (DeoxIT® or DeoxIT® GOLD) with a metered one-shot valve.
Example: Part No.'s D100S-2, G100S-2



CAIG Laboratories, Inc.

12200 Thatcher Court, Poway, CA 92064 U.S.A.

P: 858/486-8388 | E: info@caig.com

WEB: www.caig.com | www.deoxit.com





Audio/Video



Computers



Automotive



Communications



Marine



Electrical



Energy



Photography



Security



Medical



Avionics

4. Always wipe any excess 100% solution with clean lint-free cloth or swab. Please refer to Fader Maintenance and Potentiometer Maintenance instructions for the exception to this advisory.

9. When do I use flammable vs. nonflammable applicators?

There are two formulations for DeoxIT® products, sprays and liquids - 5% and 100%. As mentioned previously, sprays are offered in three versions: 5% flammable, 5% nonflammable and 100% nonflammable (See description in section 7). The liquids are offered in two variations, 5% and 100%.

Please contact CAIG Technical Support, tech@caig.com for the availability of custom formulations.

KEY NOTE:

The most important thing to keep in mind when applying DeoxIT® products (i.e., DeoxIT®, DeoxIT® Gold G-Series and DeoxIT® Shield S-Series) is that only a small amount should be left on the metal surface.

When using the 5% solution (i.e., #D5L-25C, etc.), only a small amount will be left on the surface. When using the 100% products (i.e., #'s D100S-2, G100S-2, D100L-25C, G100P, etc.), it is important to wipe off any excess, leaving a small amount on the surface. If the connector is subjected to outdoor weathering, as with antenna connections, for example, applying DeoxIT® Grease as a topical barrier is recommended, following a thorough cleaning of the contact connector surface with DeoxIT®.

Please go to the next section for information on applicator selection.

10. Additional applicator information?

Since many applications require a different means of applying a treatment to contacts and connectors, we offer our

products in a wide variety of delivery systems for ease of use. You may choose from nonflammable sprays, mini-sprays, pens, wipes, needle dispensers or OEM squeeze tubes, if applicable.

When deciding whether to choose the 5% or 100% formulation, one only needs to consider three things:

- 1) Do I have an issue using a flammable product (safety)?
- 2) Do I have access to the metal surface (ability to wipe off excess)?
- 3) Do I need to be able to flush the surface to remove surface dirt, grease and particles?

Number one above is self-explanatory. If using a flammable solvent will present any issues, choose a non-flammable version. Bear in mind that only the solvent is flammable, the DeoxIT® concentrates are not.

If the device can be turned off and the product applied and allowed to fully evaporate, your choice is clear. Certain specifications or circumstances in an industrial environment require that no flammable products or compressed containers be used, as in aviation applications. In this case, the nonflammable (100%) products are recommended; or a dilution of our product with a compatible nonflammable solvent. Small scale testing for compatibility is recommended.

Number two above requires physical accessibility to the contact/connector. If you have the ability to wipe off excess product with a lint-free accessory, you may choose to use one of these versions; pens, wipes, needle dispenser, squeeze tube, etc. The advantage of using these applicators is economy and ease of use. These precision applicators allow you to put the concentrate exactly where you want it, without over-spray concerns. Also, these particular applicators are small and fit into tool cases or your pocket easily.

Number three above was explained in previous sections. Applicators that provide flushing have slow evaporating solvents. Use part numbers D5L-25CA, G5L-25CA, etc., when you need to remove surface contaminants, dirt, dust, and



CAIG Laboratories, Inc.
12200 Thatcher Court, Poway, CA 92064 U.S.A.
P: 858/486-8388 | **E:** info@caig.com
WEB: www.caig.com | www.deoxit.com





Audio/Video



Computers



Automotive



Communications



Marine



Electrical



Energy



Photography



Security



Medical



Avionics

grease. If the surface is free from these contaminants, choosing fast evaporating solvent products as in part numbers DN5MS-15, DN5S-6N, GN5MS-15 and GN5S-6N or the 100% concentrate products are a good choice.

11. DeoxIT® Greases - Electrical & Mechanical uses and procedures

11a) DeoxIT® Grease products are manufactured in semi-solid form for use as a combination cleaning, deoxidizing, protection and lubrication preparation. They protect against oxidation (galvanic corrosion) and are free of mineral acids, sulphurs, alkalis and other noxious components aggressive to metals. DeoxIT® Greases improve performance of electrical contacts and mechanical components that require lubrication.

1. Turn off the device.
2. Apply DeoxIT® D-Series contact cleaner to metal contact/connector surface. If connectors contain surface particles (dust, dirt, etc.) along with oxidation, use DeoxIT® spray with flushing solvent (#D5S-6). If the surface is free from most surface particles, use DeoxIT® without a flushing solvent (#DN5S-2N, #DN5S-6N).
3. Manually operate the disconnect to help displace contaminants from contact surface.
4. Use a non-abrasive nylon brush to assist in removing any loose contamination on the surface. Never use an abrasive brush or other harsh abrasive materials (i.e., sandpaper, metal brush) because this may change the design characteristics of the relay/contact/switch.
5. Apply DeoxIT® Grease L260DCp, L260DAp or L260DQp onto contact surface.

NOTE:

The L260DCp contains copper particles, the L260DAp contains aluminum particles and L260DQp contains quartz particles. Use the particles to assist breaking up the oxidation or corrosion. Use the copper or aluminum if you need conductive particles and the quartz if conductive particles are not required.

11b) DeoxIT® Grease Description

LINK to Grease TECH INFO GUIDE: goo.gl/PUyXDb

LINK to Grease SELECTION GUIDE: goo.gl/qXUZQo

DeoxIT® Grease Type M260 - Mineral-based preparation. Excellent lubrication, excellent heat resistance, very good wear resistance, excellent oxidation (galvanic corrosion) protection and good dripping-point characteristics.

Operating temperatures: -40°C to 260°C

DeoxIT® Grease Type L260D - Lithium-based preparation, *Infused with DeoxIT D100L - no other grease has this.*

Very good lubrication, excellent heat resistance, very good wear resistance, excellent pressure resistance, excellent oxidation (galvanic corrosion) protection, high dripping-point characteristics.

Operating temperatures: -40°C to 260°C.

DeoxIT® Grease Type L260 - Lithium-based preparation

Very good lubrication, very good heat resistance, very good wear resistance, excellent pressure resistance, good oxidation (galvanic corrosion) protection, high dripping-point characteristics.

Operating temperatures: -40°C to 260°C.

11c) DeoxIT® Grease with and without particles

No particles – Use where lubrication and protection of surfaces is important; soft, thixotropic grease.

Copper particles - Use where conductive particles are needed to assist in oxide breakup and where good lubrication and abrasion are required.

Example: disconnect switches or large connectors and relays.

Aluminum particles - Use where aluminum metals are involved; or in areas that two contacts will not touch and possibly short.

Example: aluminum rails, bolts, connectors.

Graphite particles – Use where excellent lubrication and heat transfer characteristics are vital; and heat absorption and dissipation is important.



CAIG Laboratories, Inc.

12200 Thatcher Court, Poway, CA 92064 U.S.A.

P: 858/486-8388 | **E:** info@caig.com

WEB: www.caig.com | www.deoxit.com





Audio/Video



Computers



Automotive



Communications



Marine



Electrical



Energy



Photography



Security



Medical



Avionics

Quartz - Use where nonconductive particles are required to assist with oxide breakup; and good lubrication and abrasion are required.

Graphite/quartz - Use where good heat conduction is needed. Again, the particles will assist in oxide breakup and where good lubrication and abrasion are required. Same purpose as copper particles, but graphite/quartz particles will not conduct electricity, and the particles are finer than the copper particles.

11d) DeoxIT® Grease electrical and mechanical uses

Electrical Applications: Antenna connections, battery terminals, buss bars, commutators, conductor rails, conductors, contactors, disconnects, drying and processing equipment, high amperage/high voltage applications, industrial electrical equipment (lifts, cranes, robotics, etc.), power tools, relays and switches (all heavy duty, knife, step, rotary, etc.), etc.

Electrical Example:

Applying the grease to an outdoor antenna contacts/connectors makes the connection electrically better (improved conductivity) and also if the connection needs to be maintained, mechanically it is much easier to un-screw and replace.

Mechanical Applications: Bearings (all types), doors (closures), drives (chain/sprockets), hatch closures, linear motion systems, plugs (threaded holes), rack & pinion assemblies, screw devices (jacks, etc.), slide bushings, sliding parts, tracks/guides/rails, threaded closures, worm gears, etc.

Mechanical Example:

If a threaded screw cover, say with a large diameter on equipment is oxidized or lightly corroded as to permit the cover to go on with difficulty, applying our grease will clean (deoxidize - chemically and with particles - physically) the connection and allow the cover to go on and off smoothly. This is especially important in areas with high humidity and salt air - big with the marine, coast guard and navy.

Recommended Applicators:

Spray Part No.'s:

(Nonflammable, non drip - quick dry, safe on plastics)

DeoxIT® D-Series:

Part No. DN5S-2N (40 g), Part No. DN5S-6N (163 g)

(Briefly flammable, until solvent evaporates, flushing action - slow dry.)

DeoxIT® D-Series:

Part No. D5S-6, 142 g.

DeoxIT® M260 (Mineral-based) Grease Tube Applicators:

DeoxIT® Grease, no particles, tube	# M260-N1, 28 g
DeoxIT® Grease, no particles, tube	# M260-N8, 226 g
DeoxIT® Grease, no particles, tube	# M260-N8TP, 226 g
DeoxIT® Grease, aluminum particles, tube	# M260-A1, 28 g
DeoxIT® Grease, aluminum part., tube	# M260-A8, 226 g
DeoxIT® Grease, aluminum part., tube	# M260-A8TP, 226 g
DeoxIT® Grease, copper particles, tube	# M260-C1, 28 g
DeoxIT® Grease, copper particles, tube	# M260-C8, 226 g
DeoxIT® Grease, copper particles, tube	# M260-C8TP, 226 g

DeoxIT® L260D (Lithium-based, Infused with D100L) Grease Tube Applicators:

DeoxIT® Grease, no particles, tube	# L260-DN1, 28 g
DeoxIT® Grease, no particles, tube	# L260-DN8, 226 g
DeoxIT® Grease, no particles, tube	# L260-DN8TP, 226 g
DeoxIT® Grease, aluminum particles, tube	# L260-DA1, 28 g
DeoxIT® Grease, aluminum part., tube	# L260-DA8, 226 g
DeoxIT® Grease, aluminum part., tube	# L260-DA8TP, 226 g
DeoxIT® Grease, copper particles, tube	# L260-DC1, 28 g
DeoxIT® Grease, copper particles, tube	# L260-DC8, 226 g
DeoxIT® Grease, copper particles, tube	# L260-DC8TP, 226 g
DeoxIT® Grease, quartz particles, tube	# L260-DQ1, 28 g
DeoxIT® Grease, quartz particles, tube	# L260-DQ8, 226 g
DeoxIT® Grease, quartz particles, tube	# L260-DQ8TP, 226 g
DeoxIT® Grease, graphite particles, tube	# L260-DG1, 28 g
DeoxIT® Grease, graphite particles, tube	# L260-DG8, 226 g
DeoxIT® Grease, graphite particles, tube	# L260-DG8TP, 226 g
DeoxIT® Grease, graphite/quartz particles, tube	# L260-DGQ1, 28 g



CAIG Laboratories, Inc.

12200 Thatcher Court, Poway, CA 92064 U.S.A.

P: 858/486-8388 | E: info@caig.com

WEB: www.caig.com | www.deoxit.com





Audio/Video



Computers



Automotive



Communications



Marine



Electrical



Energy



Photography



Security



Medical



Avionics

DeoxIT® Grease, graphite/quartz particles, tube
L260-DG8, 226 g

DeoxIT® Grease, graphite particles, tube
L260-DGQ8TP, 226 g

DeoxIT® L260 (Lithium-based) Grease Tube Applicators:

- DeoxIT® Grease, no particles, tube # L260-DN1, 28 g
- DeoxIT® Grease, no particles, tube # L260-DN8, 226 g
- DeoxIT® Grease, no particles, tube # L260-DN8TP, 226 g
- DeoxIT® Grease, aluminum particles, tube # L260-A1, 28 g
- DeoxIT® Grease, aluminum part., tube # L260-A8, 226 g
- DeoxIT® Grease, aluminum part., tube # L260-A8TP, 226 g
- DeoxIT® Grease, copper particles, tube # L260-C1, 28 g
- DeoxIT® Grease, copper particles, tube # L260-C8, 226 g
- DeoxIT® Grease, copper particles, tube # L260-C8TP, 226 g
- DeoxIT® Grease, quartz particles, tube # L260-Q1, 28 g
- DeoxIT® Grease, quartz particles, tube # L260-Q8, 226 g
- DeoxIT® Grease, quartz particles, tube # L260-Q8TP, 226 g
- DeoxIT® Grease, graphite particles, tube # L260-G1, 28 g
- DeoxIT® Grease, graphite particles, tube # L260-G8, 226 g
- DeoxIT® Grease, graphite particles, tube # L260-G8TP, 226 g
- DeoxIT® Grease, graphite/quartz particles, tube
L260-GQ1, 28 g
- DeoxIT® Grease, graphite/quartz particles, tube
L260-G8, 226 g
- DeoxIT® Grease, graphite particles, tube
L260-GQ8TP, 226 g

Other applicators available, visit; <http://www.caig.com>

Lint free Accessories:

- Lint free cotton cloth
Part Nos. LFC-C/50, LFC-C/100
- Lint free foam swabs, 1/4 x 3/4 x 4-1/2"
Part Nos. SWP-25, SWP-100
- Lint free foam swabs, 1/8 x 1/2 x 2-3/4"
Part Nos. SWPX-25, SWPX-100
- Pointer swabs, 3 inch, .5 mm to 2.3 mm Head
Part Nos. SWPP-25, SWPP-100
- Nylon cleaning brush, 3-6 mm x 20 mm
Part Nos. AB-25, AB-100

12. Notes and additional information

Materials Compatibility: *The key to the success of DeoxIT® products*

CAIG is committed to insuring product compatibility with new and existing materials and products. To accomplish this, we invest considerable resources and time working with hundreds of companies in many industries to insure that our products perform exactly as promised. Small scale evaluation is always recommended for large scale applications, and we will be happy to assist you in working out the details of the process your company will ultimately use for optimum success and performance. Should you require help with this, contact CAIG Technical Support, tech@caig.com.

DATA SHEETS:

Most products on our website include DATA SHEETS (PDF) files for information on the products .

They include; Product Description, Features/Benefits, Formulation, Applicators, Product Selection Guide, Materials Compatibility, Shipping and other information.

LINK to DATA Sheets:

<http://caig.com/product-data-sheets/>

NOTE:

1 Turn off, unplug¹ the device: Under certain circumstances (elevator controls, medical equipment, etc.), turning off the equipment is not possible. In these instances, use our nonflammable applicators.



CAIG Laboratories, Inc.

12200 Thatcher Court, Poway, CA 92064 U.S.A.

P: 858/486-8388 | **E:** info@caig.com

WEB: www.caig.com | www.deoxit.com





Audio/Video



Computers



Automotive



Communications



Marine



Electrical



Energy



Photography



Security



Medical



Avionics

13. CAIG INFORMATION PAGES:

1. PRODUCT, TECHNICAL and DATA Sheets:

Link: <http://caig.com/technical-data/>

2. HELP / LEARN Pages:

Link: <http://caig.com/help-learn/>

3. SDS/MSDS Documents:

Link: <http://caig.com/material-safety-data-sheets/>

4. SUPPORT Pages:

Link: <http://caig.com/support/>

5. DISTRIBUTOR Listing Pages:

Link: <http://caig.com/distributors/>

14. MANUFACTURER DISCLAIMER:

To the best of our knowledge, the information contained herein is accurate. However, neither CAIG Laboratories, Inc., or any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. All materials may present unknown hazards and should be used with caution. In particular, improper use of our products and their inappropriate combination with other products and substances may produce harmful results which cannot be anticipated. Final determination of the suitability of any material is the sole responsibility of the user. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that may exist. All service performed on internal parts and equipment should be provided by qualified technicians.




CAIG Laboratories, Inc.

12200 Thatcher Court, Poway, CA 92064 U.S.A.

P: 858/486-8388 | **E:** info@caig.com

WEB: www.caig.com | www.deoxit.com



DeoxIT®

Unlimited Uses for Electrical / Electronic Equipment and Components!

1000+ USES



Audio/Video

- + Receivers & Components
- + TVs, Monitors & Displays
- + Indoor/Outdoor Speakers
- + Gaming Equipment
- + Tablets, Phones, MP3, Headphones
- + Cameras, Navigation, Drones



Computers

- + Computer Components & Peripherals
- + Printers, Scanners, Monitors
- + Cables, Video Cards, Adapters, I/O, CPUs
- + DIMMs, Memory Cards, Hard Drives
- + HDMI, USB, Displayport, Thunderbolt
- + Internal/External Cables & Connectors



Automotive/ Transportation

- + Bulbs, Relays, Sensors, Switches
- + Interconnect Cables, Parts, Controls
- + Cars, Trucks, Forklifts, Tractors
- + Farm Equipment, Locomotives
- + Hybrids, Chargers, Fueling Controls
- + Diagnostic Equipment & Controls



Marine

- + Marine Instruments, GPS, Radar
- + Audio, Video, Communications
- + Trailer Hitch & Connections
- + Naval, Military & Industrial
- + Water Sports & Scuba Diving
- + Instrument Cables & Parts



Electrical/ Electronic

- + Plugs, Switches, Batteries, Connectors
- + Relays, Contactors, Motors, Controls
- + Power Supplies, Lighting, Bulbs, Fuses
- + Test Equipment, Probes, Fixtures
- + Automation, Conveyors, Processing
- + Cable, Terminal Blocks, Networking



Photography

- + Memory Cards, Sockets, Chargers
- + Lighting, Flashes, Power Packs, Cables
- + Lens Contacts, Meters, Remote Switches
- + Bulbs, Batteries, Switches, Adapters
- + Microphones, DJ Equipment, Mounts
- + Drones and Aerial Equipment



Energy

- + Similar items to Electrical/Electronic
- + Wind, Geothermal, Refineries Equip.
- + Solar Energy Storage & Controls
- + Electric & Hybrid Vehicle Systems
- + Power Distribution and Efficiency
- + Increase Battery Life & Power Output



Security

- + Cameras, Keypads, Dialers, Connectors
- + Electronic Locks, Switches, Hubs
- + Patch Bays, Cables, Ethernet Switches
- + DVR, Controls, Video Servers
- + Test Equipment, Meters, Monitors
- + Adapters, Antennas, Panels



Communications

- + Cellular, Broadband & Cable Equip.
- + Networking, Antenna, Cable Products
- + Mobile Radio, GPS, Smart Devices
- + Modems, Routers, Switches, VoIP
- + Power Supplies, Surge Suppression
- + Charging, Testing Equipment



Avionics

- + Commercial, Military and Space
- + Radios Microphones, Headphones
- + Instruments, Controls, Lighting, Bulbs
- + Battery, Chargers, Flashlights, Terminals
- + Power Panels, Circuit Breakers, Relays
- + Fuses, Switches, Cables & Connectors



Medical

- + Monitors, Drug Dispensers, Instruments
- + Wheelchairs, Communication, Lighting
- + Battery, Chargers, Flashlights, Terminals
- + Fuses, Switches, Cables & Connectors
- + Hospital Infrastructure Connections
- + All Medical Equipment and Devices



Home of the DeoxIT® family of
Environmentally-Safer
Contact Cleaners and Connector
Enhancing Treatments
Made in USA